

Amendments to the claims:

The listing of claims will replace all prior versions of the claims in the application.

1. (Currently amended) An alloy steel in weight percentage consisting of from about 0.16% to about 0.35% carbon, about 0.85% maximum manganese, an amount of silicon up to about 1.25% maximum, about 1.50% to about 3.25% chromium, about 5.00% maximum nickel, about 0.55% maximum molybdenum, ~~about~~ 1.17% to about 3.25% tungsten, about 0.05% to about 0.30% vanadium, about 0.50% maximum copper, about 0.015% maximum phosphorous, about 0.012% maximum sulfur, about 0.02% maximum calcium, about 0.14% maximum nitrogen, about 0.05% maximum aluminum, and balance consisting essentially of iron, wherein said alloy steel has an ultimate tensile strength level of ~~about~~ 233-270 ksi, Charpy V-notch impact strength of ~~about~~ 20-43 ft-lb at -40°F and a ductility ~~high~~ low rate strain-to-failure of ~~about 15.1~~ 16.6 to about ~~16.6~~ 18.4%.

2. (Currently amended) An alloy steel in weight percentage consisting of about 0.28% carbon, about 0.74% manganese, about 0.012% phosphorus, about 0.003% sulfur, about 1.03% nickel, about 2.75% chromium, about 0.011% aluminum, about 1.17% tungsten, about 1% silicon, about 0.36% molybdenum, about 0.0073% nitrogen, about 0.06% vanadium, about 0.1% copper, about 0.02% calcium, and balance essentially iron, wherein said alloy steel has an ultimate tensile strength level of ~~about~~ 233-270 ksi and Charpy V-notch impact strength of ~~about~~ 20-43 ft-lb at -40°F.

3. – 20. Canceled

21. (Original) A bomb casing material comprising the alloy steel in weight percentage as in claim 1.

22. (Original) A bomb casing material comprising the alloy steel in weight percentage as in claim 2.

23. Canceled.

24. (Previously presented) An alloy steel in weight percentage consisting of about 0.28% carbon, an amount of manganese up to about 0.85% maximum, about 1.00% silicon, about 1.50% to about 3.25% chromium, about 1.03% nickel, an amount of molybdenum up to about 0.55% maximum, about 1.17% tungsten, about 0.05% to about 0.30% vanadium, an amount of copper up to about 0.50% maximum, an amount of phosphorous up to about 0.015% maximum, an amount of sulfur up to about 0.012% maximum, about 0.02% calcium, an amount of nitrogen up to about 0.14% maximum, an amount of aluminum up to about 0.05% maximum, and balance consisting of iron, wherein said alloy steel has an ultimate tensile strength level of about 233-270 ksi and Charpy V-notch impact strength of about 20-43 ft-lb at -40°F.

25. Canceled.

26. (Previously presented) A bomb casing material comprising the alloy steel in weight percentage as in claim 24.

27.-28 Canceled.

29. (Previously presented) The alloy steel recited in claim 2 wherein said steel has an ultimate tensile strength level of about 247 ksi.

30. Canceled.

31. (Previously presented) The alloy steel recited in claim 24 wherein said steel has an ultimate tensile strength level of about 247 ksi.

32. (Previously presented) The alloy steel recited in claim 1 wherein said steel has an ultimate tensile strength level of about 244 ksi.

33. (Currently amended) The alloy steel recited in claim 1 wherein said steel has an ultimate tensile strength level of about 234 ksi.

34. (Previously presented) The alloy steel recited in claim 1 wherein said steel has an ultimate tensile strength level of about 270 ksi.

35. (Previously presented) The alloy steel recited in claim 1 wherein said steel has an ultimate tensile strength level of about 248 ksi.

36. Canceled.

37. (Currently amended) The alloy steel recited in claim 24 wherein said steel has a ductility ~~high~~ low rate strain-to-failure of ~~about 15.1~~ 16.6 to about ~~16.6~~ 18.4%..

38. Canceled.

39. (Previously presented) An alloy steel in weight percentage consisting of about 0.28% carbon, about 0.74% manganese, about 0.012% phosphorus, about 0.003% sulfur, about 1.03% nickel, about 2.75% chromium, about 0.011% aluminum, about 1.17% tungsten, about 1% silicon, about 0.36% molybdenum, about 0.0073% nitrogen, about 0.06% vanadium, about 0.1% copper, about 0.02% calcium, and balance essentially iron, wherein said alloy steel has an ultimate tensile strength level of about 244-270 ksi and Charpy V-notch impact strength of about 20-43 ft-lb at -40°F.